

SE1011: Practice Questions Name:

This is a closed-book, closed-computer, etc. exam. You may use one 8.5"x11" sheet of notes, which you will turn in with your exam. Review all questions before you get started. Use the page at the end of the exam for extra work. The exam is printed double-sided.

1. (10 points (pts.)) For each item, write "yes" if the code compiles. If it does not compile, fix it.

The type and contents of each variable should be the same as the broken code.

- a. `int x = 5;`
`long y = x;`

 - b. `double d = 5.3;`
`float f = d;`

 - c. `long l = 1000000000000000;`

 - d. `float f = 9.6;`
2. (5 pts.) Write what will be displayed if the following line is run:
- ```
System.out.println(3.5 + 7/3 + 1.0);
```
3. (10 pts.) Why is the java-byte code stored in a .class file different from the binary code in an .exe file?

4. (15 pts.) [GUI Input/Output (IO)] Complete the following program so that it displays “Starts with a star” if the input string starts with the star symbol (\*), and “Doesn't start with a star” otherwise. Display the result using `JOptionPane.showMessageDialog(...)`; You may assume that the user actually enters something and therefore that “word” actually has a first character.

```
import javax.swing.JOptionPane;

class Exam {
 public static void main(String[] ignored) {
 String word = JOptionPane.showInputDialog(null, "Enter a word:");

 }
 }
```

You may use this space for flowchart, pseudocode, example input output, etc.

5. (15 pts.) [Console input/output (IO)] Complete the following program that asks a user to enter an integer and then prints a statement that the number is either even or odd. For example, if the number is five (5), the output should be "5 is odd." Use `System.out.println(...)` for printing output.

```
import java.io.Scanner;
public class Exam {
 public static void main(String[] ignored) {
 Scanner in = new Scanner(System.in);
```

```
 }
}
```

You may use this space for flowchart, pseudocode, example input output, etc.

6. (15 points) Write **low-level pseudocode** that asks a user to enter the number of items to be shipped, and then prints the total cost to ship the items. Unlike Lab 3, there are only two box sizes. Large boxes hold five (5) items, and small boxes hold one (1). Boxes must be completely filled. Each item costs \$10.00 It costs \$1.50 to ship a large box, and \$0.75 to ship a small box. Report the total cost to the user. (You do **not** need to print other details, format the dollar amount nicely, or use named constants.)

7. (10 points)

- a. Is it legal to explicitly cast from a double to an int (as below)? **Write** yes or no, **and explain** your answer.

```
double d = 5.0;
int i = (double)d;
```

- b. Is it legal to implicitly cast from a long to a float (as below)? **Write** yes or no, **and explain** your answer.

```
long l = 4L;
float f = l;
```

8. (5 pts.) **Write** what will be displayed if the following line is run. **Draw** a box around your final answer.

```
System.out.println(2 + 4 % 3);
```

9. (10 pts.)

- a. **Describe** the contents of a .java file (that is, a file with its filename ending with the extension “.java”).
  
  
  
  
  
  
  
  
  
  
- b. Which program reads the .java file: the compiler or the Java virtual machine? **Write one of these.**
  
  
  
  
  
  
  
  
  
  
- c. **Write** what this program does with the .java file.

10. (5 pts.) Consider the following program:

```
public static void main(String[] args) {
 Scanner in = new Scanner(System.in);
 System.out.println("Please _enter _a _word.");

 String word = in.next();

 System.out.println("Letters:_" + word.charAt(1) +
 "_and_" + word.charAt(3));
}
```

**Write** what will be displayed if Exam is entered by the user. (Use \_ in the place of a space.)